

#### THE ANDERSONS SAFETY DATA SHEET

DATE PREPARED: 10/24/04

# CURRENT AS OF: 10/14/16

## SECTION 1: PRODUCT / SUPPLIER IDENTIFICATION

PRODUCT CODE: APT153ML4.50

PRODUCT NAME: The Andersons Professional Turf Products 15-0-8 with Millenium Ultra Herbicide

PRODUCT USE: Fertilizer / Pesticide

MFR INFO: The Andersons Lawn Products PO Box 119 Maumee, Ohio USA 43537

> FOR EMERGENCY: (800) 757-8951 FOR INFORMATION: (419) 893-5050

# SECTION 2: HAZARDS IDENTIFICATION

HAZARD SYMBOLS / STATEMENTS:



HARMFUL IF SWALLOWED MAY CAUSE EYE IRRITATION MAY CAUSE RESPIRATORY IRRITATION

HAZARD CLASSIFICATIONS:	CATEGORY	<b>INTERPRETATION</b>
ACUTE TOXICITY	4	Low to Moderate
EYE IRRITATION	2B	Promptly Reversible Eye Irritation Possible
TARGET ORGAN SYSTEMIC TOXICITY	3	Transient Respiratory Irritation Possible

### PRECAUTIONARY STATEMENTS:

- KEEP OUT OF REACH OF CHILDREN
- READ LABEL BEFORE USE
- IF MEDICAL ADVICE IS NEEDED, HAVE PRODUCT CONTAINER OR LABEL ON HAND
- CALL A POISON CENTER / PHYSICIAN IF UNWELL
- DO NOT EAT, DRINK, OR SMOKE WHEN USING THIS PRODUCT
- IF ON SKIN, WASH WITH PLENTY OF SOAP AND WATER
- IF SKIN IRRITATION OCCURS, GET MEDICAL ADVICE
- IF IN EYES, RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES REMOVE CONTACT LENSES
- IF EYE IRRITATION PERSISTS, GET MEDICAL ADVICE
- WASH HANDS THOROUGHLY AFTER HANDLING
- USE ONLY OUTDOORS OR IN WELL VENTILATED AREAS
- AVOID BREATHING DUST
- IF INHALED, REMOVE TO FRESH AIR AND KEEP AT REST IN A POSITION COMFORTABLE FOR BREATHING
- STORE CONTAINER TIGHTLY CLOSED
- DISPOSE OF CONTENTS / CONTAINER IN ACCORDANCE WITH NATIONAL / REGIONAL / LOCAL REGULATIONS

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS			
CHEMICAL IDENTITY	<u>SYNONYM</u>	CAS NUMBER	CONCENTRATION (%)
Limestone		1317-65-3	46.9
Urea		57-13-6	24.5
Potassium chloride	Potash	7447-40-7	13.4
Sulfur coated urea		Mixture	9.2
Corncob fractions		Mixture	5.0
Millenium Ultra		Mixture	1.2
SECTION 4: FIRST AID MEASURES			

IF INHALED:	Move victim to fresh air. Seek medical attention if irritation persists.
IF ON SKIN:	Wash affected areas with soap and water. Seek medical attention if irritation persists. Wash contaminated clothing before re-use.
IF IN THE EYES:	Immediately flush with water for at least 20 minutes. Seek medical attention if irritation persists.
IF SWALLOWED:	If victim is alert and not convulsing, give one glass of water to dilute material, but DO NOT induce vomiting. Seek immediate medical attention.
SPECIAL TREATMENT:	None known
	See Section 11

HEALTH HAZARDS:	See Section 11

# SECTION 5: FIREFIGHTING MEASURES

EXTINGUISHING MEDIA:	Use media suitable for surrounding fire. No special media required.	
SPECIFIC FIRE HAZARDS:	Decomposition products may be toxic. Sulfur will burn when separated from molten urea.	
SPECIAL FIREFIGHTING PROCEDURES:	Wear full protective clothing and positive-pressure self- contained breathing apparatus.	

# SECTION 6: ACCIDENTAL RELEASE MEASURES

SPILL / RELEASE PROCEDURES:	Collect spilled product and store to re-use. Contaminated product and/or environmental media should be recovered and disposed of properly.
ENVIRONMENTAL PRECAUTIONS:	Prevent spilled material from entering storm drains or water bodies.
PROTECTIVE EQUIPMENT:	See Section 8

# SECTION 7: HANDLING AND STORAGE

Store in a cool, dry, well ventilated area. Do not store above 120° F.

# SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

#### EXPOSURE LIMITS:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

HAZARDOUS COMPONENT	OSHA PEL	ACGIH TLV	
Limestone	15 mg/m³ (total) 5 mg/m³ (respirable)	10 mg/m <sup>3</sup> (inhalable) 3 mg/m <sup>3</sup> (respirable)	
Urea	15 mg/m <sup>3</sup> (total) 5 mg/m <sup>3</sup> (respirable)	10 mg/m <sup>3</sup> (inhalable) 3 mg/m <sup>3</sup> (respirable)	
Potassium chloride	15 mg/m <sup>3</sup> (total) 5 mg/m <sup>3</sup> (respirable)	10 mg/m <sup>3</sup> (inhalable) 3 mg/m <sup>3</sup> (respirable)	
Corncob fractions	15 mg/m <sup>3</sup> (total) 5 mg/m <sup>3</sup> (respirable)	10 mg/m <sup>3</sup> (inhalable) 3 mg/m <sup>3</sup> (respirable)	
PERSONAL PROTECTIVE EQUIPMENT / PROTECTION MEASURES / CONTROLS:			

RESPIRATORY PROTECTION:NIOSH approved pesticide respirator, if requiredEYE PROTECTION:Safety glasses with sideshields, goggles, or faceshield recommendedSKIN PROTECTION:Long sleeves, chemical-resistant (rubber) gloves recommendedVENTILATION:Local exhaust ventilation recommended

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Multi-colored granular mix, with slight ammonia / sulfur / amine odor APPEARANCE AND ODOR: Not available pH: MELTING POINT: Not available **BOILING POINT:** Not applicable Not flammable FLASH POINT: **EVAPORATION RATE:** Not applicable FLAMMABLE LIMITS: Not applicable Not applicable VAPOR PRESSURE: VAPOR DENSITY: Not applicable Not available SPECIFIC GRAVITY: Partially soluble SOLUBILITY (IN WATER): PARTITION COEFFICIENT: Not applicable AUTOIGNITION TEMP: Not available Not available DECOMPOSITION TEMP: ODOR THRESHOLD: Not available VISCOSITY: Not available

### SECTION 10: STABILITY AND REACTIVITY

INCOMPATIBILITY:	Strong oxidizers, acids, caustics, hypochlorites
CONDITIONS TO AVOID:	Excessive heat (greater than 200°F)
STABILITY:	Product is stable.

HAZARDOUS DECOMPOSITION PRODUCTS: HCN, NOx, COx, NH<sub>3</sub>, HCI, cyanuric acid, SOx, H<sub>2</sub>S

# SECTION 11: TOXICOLOGICAL INFORMATION

HEALTH EFFECTS: May be irritating to the nose and respiratory tract, and may cause sore throat, coughing and shortness of breath. Skin irritation may result from repeated or prolonged exposure. May also be irritating to the eyes, causing redness and watering. Prolonged eye exposure may cause conjunctivitis and corneal damage. Ingestion may result in abdominal pain, nausea, diarrhea, headache, and muscle weakness. Ingestion of large amounts of sulfur may lead to hydrogen sulfide poisoning due to bacterial conversion of sulfur in the colon.

CARCINOGENICITY: None of the ingredients are known / listed carcinogens. However, the product may contain trace amounts of crystalline silica, which is listed by IARC as a potential human carcinogen.

#### **INGREDIENT TOXICITY RANGES:**

ORAL: 949 mg/kg (2,4-D) – 14,300 mg/kg (urea)

DERMAL: > 2,000 mg/kg (Millenium Ultra)

INHALATION: > 3.5 mg/L (2,4-D) -- > 9.6 mg/L (dicamba)

# SECTION 12: ECOLOGICAL INFORMATION

This product is not known to be ecotoxic, persistent, or have the potential to bioaccumulate.

### SECTION 13: DISPOSAL CONSIDERATIONS

Dispose of in accordance with all national, regional / state, and local regulations. Reuse recovered product where possible.

### SECTION 14: TRANSPORT INFORMATION

This product is not regulated as a transportation hazard.

### SECTION 15: REGULATORY INFORMATION

SARA SECTION 311 / 312 HAZARD CATEGORY: IMMEDIATE HAZARD

# SECTION 16: OTHER INFORMATION

NFPA RATINGS:	HEALTH FLAMMABILIT` INSTABILITY	Y	1 0 0
HMIS RATINGS:	HEALTH FLAMMABILIT PHYSICAL HA	-	1 0 0
ACTIVE INGREDIENT	LEVELS (%):	0.071 a	as 2,4-D salt as clopyralid as dicamba salt
MSDS ID NO:	5048C		
PREPARED BY:	TS		

The information and data contained herein is based upon facts considered to be correct as of the date hereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will The Andersons be responsible for damages of any nature whatsoever resulting from the use or reliance upon this information. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or of any other nature are made hereunder with respect to information or the product to which this information refers.