

Revision date : 2020/09/02 Page: 1/18 Version: 1.0 (30774103/SDS_CPA_US/EN)

1. Identification

Product identifier used on the label

Alucion 35 WG Insecticide

Recommended use of the chemical and restriction on use

Recommended use*: crop protection product, insecticide

Details of the supplier of the safety data sheet

Company:
BASF CORPORATION
100 Park Avenue
Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

Emergency telephone number

24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

Substance number: 830835 EPA Registration number: 7969-467

^{*} The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.



Revision date: 2020/09/02 Page: 2/18
Version: 1.0 (30774103/SDS_CPA_US/EN)

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

Acute Tox. 4 (Inhalation - dust) Acute toxicity
Acute Tox. 4 (oral) Acute toxicity

Aquatic Acute 1 Hazardous to the aquatic environment - acute Aquatic Chronic 1 Hazardous to the aquatic environment - chronic

Label elements

Pictogram:



Signal Word: Warning

Hazard Statement:

H302 + H332 Harmful if swallowed or if inhaled

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P261 Avoid breathing dust.

P270 Do not eat, drink or smoke when using this product.
P264 Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):



Revision date : 2020/09/02 Page: 3/18 Version: 1.0 (30774103/SDS_CPA_US/EN)

P312 Call a POISON CENTER or physician if you feel unwell.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P330 Rinse mouth P391 Collect spillage.

Precautionary Statements (Disposal):

P501 Dispose of contents/container in accordance with local regulations.

Hazards not otherwise classified

<u>Labeling of special preparations (GHS):</u>
May cause paraesthesia. alpha-cypermethrin

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Dinotefuran technical

CAS Number: 165252-70-0 Content (W/W): 28.0 %

Synonym: Dinotefuran technical

alpha-Cypermethrin

CAS Number: 67375-30-8 Content (W/W): 7.0 % Synonym: No data available.

Benzenesulfonic acid, hydroxy-, polymer with formaldehyde, phenol and urea, sodium salt

Content (W/W): 15.0 - 20.0% Synonym: No data available.

Sodium lauryl sulfate

CAS Number: 151-21-3 Content (W/W): 0.1 - 1.0%

Synonym: Sulfuric acid, monododecyl ester, sodium salt



Revision date: 2020/09/02 Page: 4/18 Version: 1.0 (30774103/SDS_CPA_US/EN)

Sulfuric acid, monodecyl ester, sodium salt

CAS Number: 142-87-0 Content (W/W): 0.1 - 1.0%

Synonym: Sulfuric acid monodecyl ester sodium salt

phenol

CAS Number: 108-95-2 Content (W/W): 0.1 - 1.0%

Synonym: Phenol; Hydroxybenzene

4. First-Aid Measures

Description of first aid measures

General advice:

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

If on skin:

Wash thoroughly with soap and water

If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

If swallowed

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed



Revision date : 2020/09/02 Page: 5/18 Version: 1.0 (30774103/SDS_CPA_US/EN)

Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no

known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media: water spray, dry powder, foam

Unsuitable extinguishing media for safety reasons: carbon dioxide

Special hazards arising from the substance or mixture

Hazards during fire-fighting:

carbon monoxide, carbon dioxide, Hydrogen chloride, silica compounds, nitrogen oxides, sulfur oxides, organochloric compounds, cyanides

The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Protective equipment for fire-fighting:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.



Revision date : 2020/09/02 Page: 6/18 Version: 1.0 (30774103/SDS_CPA_US/EN)

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

Avoid raising dust. Sweep/shovel up. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

7. Handling and Storage

Precautions for safe handling

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product for Agricultural Use Requirements in accordance with the EPA Worker Protection Standard 40 CFR part 170. Ensure adequate ventilation. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect contents from the effects of light. Protect against heat. Protect from air. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Avoid dust formation. Do not return residues to the storage containers. Follow label warnings even after container is emptied. The substance/product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

Avoid dust formation. Dust can form an explosive mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect against moisture. Protect from direct sunlight.

Protect from temperatures above: 40 °C



Revision date : 2020/09/02 Page: 7/18
Version: 1.0 (30774103/SDS_CPA_US/EN)

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

No occupational exposure limits known.

Personal protective equipment

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles).

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.



Revision date : 2020/09/02 Page: 8/18 Version: 1.0 (30774103/SDS_CPA_US/EN)

General safety and hygiene measures:

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form: solid Odour: odourless

Odour threshold: not applicable, odour not perceivable

Colour: beige approx. 3 - 5 (1 %(m), 20 °C)

Melting point: The product has not been tested.

Boiling point: The product has not been tested.

Flash point: not applicable, the product is a solid

Flammability: not flammable

Upper explosion limit: As a result of our experience with this

product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Vapour pressure: not applicable
Bulk density: 700 kg/m3
Vapour density: not applicable
Partitioning coefficient n- not applicable

octanol/water (log Pow):

Self-ignition 580 °C

temperature:

Thermal decomposition: No decomposition if stored and handled as

prescribed/indicated.

Viscosity, dynamic: not applicable, the product is a solid

Solubility in water: dispersible Evaporation rate: not applicable



Revision date : 2020/09/02 Page: 9/18 Version: 1.0 (30774103/SDS_CPA_US/EN)

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties: not fire-propagating

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame. Avoid extreme temperatures. Avoid prolonged exposure to extreme heat. Avoid contamination. Avoid electro-static discharge. Avoid prolonged storage. This product may form an explosive mixture if: 1. the dust is suspended in the atmosphere as a dust cloud AND 2. the concentration of the dust is above the lower explosion limit (LEL) AND 3. the limiting oxygen concentration (LOC) is exceeded.

Incompatible materials

strong acids, strong bases, strong oxidizing agents

Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

No decomposition if stored and handled as prescribed/indicated.

11. Toxicological information

Primary routes of exposure



Revision date : 2020/09/02 Page: 10/18
Version: 1.0 (30774103/SDS_CPA_US/EN)

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Of moderate toxicity after single ingestion. Of moderate toxicity after short-term inhalation. Virtually nontoxic after a single skin contact.

<u>Oral</u>

Type of value: LD50

Species: rat

Value: 500 - 2,000 mg/kg (OECD Guideline 423)

Inhalation

Type of value: LC50

Species: rat

Value: > 2.1 mg/l (OECD Guideline 403)

Dermal

Type of value: LD50

Species: rat

Value: > 5,000 mg/kg (OECD Guideline 402)

Assessment other acute effects

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation / corrosion

Assessment of irritating effects: Not irritating to the eyes. Not irritating to the skin.

Skin

Species: rabbit Result: non-irritant



Revision date : 2020/09/02 Page: 11/18 Version: 1.0 (30774103/SDS_CPA_US/EN)

Method: OECD Guideline 404

Eye

Species: rabbit Result: non-irritant

Method: similar to OECD guideline 405

Sensitization

Assessment of sensitization: There is no evidence of a skin-sensitizing potential.

Buehler test

Species: guinea pig Result: Non-sensitizing. Method: OECD Guideline 406

Aspiration Hazard

No aspiration hazard expected. The product has not been tested. The statement has been derived from the properties of the individual components.

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: alpha-cypermethrin

Assessment of repeated dose toxicity: Repeated oral exposure may affect certain organs. Damages the peripheral nerve system.

Information on: phenol

Assessment of repeated dose toxicity: Repeated inhalation exposure may affect certain organs. Repeated dermal exposure may affect certain organs. Repeated oral exposure may affect certain organs.

Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components.



Revision date: 2020/09/02 Page: 12/18
Version: 1.0 (30774103/SDS_CPA_US/EN)

Information on: phenol

Assessment of mutagenicity: Mutagenic properties can not be excluded on the basis of experimental

Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: phenol

Assessment of carcinogenicity: Long-term exposure to highly irritating concentrations resulted in skin tumors in animals. A carcinogenic effect in humans can be excluded after brief skin contact. The substance was classified as a group 3 carcinogen by the German MAK-Commission (substances for which a suspicion of a carcinogenic potential exists). IARC Group 3 (not classifiable as to human carcinogenicity).

Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Other Information

Misuse can be harmful to health.

12. Ecological Information

Toxicity



Revision date : 2020/09/02 Page: 13/18 Version: 1.0 (30774103/SDS_CPA_US/EN)

Aquatic toxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

Toxicity to fish

LC50 (96 h) 3.01 mg/l, Oncorhynchus mykiss

Aquatic invertebrates

EC50 (48 h) >= 0.006947 mg/l, Daphnia magna

Aquatic plants

EC50 (72 h) 98.752 mg/l, Pseudokirchneriella subcapitata

Chronic toxicity to fish

Information on: alpha-cypermethrin

No observed effect concentration (34 d) 0,03 μg/L, Pimephales promelas (OPP 72-4 (EPA-

Guideline), Flow through.)

, ,

Chronic toxicity to aquatic invertebrates

Information on: Dinotefuran technical

No observed effect concentration 0.089 mg/l, Mysidopsis bahia

Information on: alpha-cypermethrin

No observed effect concentration (21 d) 0,03 μg/L, Daphnia magna (OPP 72-4 (EPA-Guideline),

semistatic)

Persistence and degradability

Assessment biodegradation and elimination (H2O)

The product has not been tested. The statement has been derived from the properties of the individual components.

Assessment biodegradation and elimination (H2O)

Information on: Dinotefuran technical



Revision date : 2020/09/02 Page: 14/18 Version: 1.0 (30774103/SDS_CPA_US/EN)

Not readily biodegradable (by OECD criteria).

Information on: alpha-cypermethrin

Not readily biodegradable (by OECD criteria).

Bioaccumulative potential

Assessment bioaccumulation potential

The product has not been tested. The statement has been derived from the properties of the individual components.

Bioaccumulation potential

Information on: alpha-cypermethrin

Bioconcentration factor: 155 - 910 (73 d), Cyprinus carpio (OECD Guideline 305 C)

Mobility in soil

Assessment transport between environmental compartments

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Dinotefuran technical

Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

Information on: alpha-cypermethrin

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Additional information



Revision date: 2020/09/02 Page: 15/18 Version: 1.0 (30774103/SDS_CPA_US/EN)

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal considerations

Waste disposal of substance:

Pesticide wastes are regulated. Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container disposal:

Rinse thoroughly at least three times (triple rinse) in accordance with EPA recommendations. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

14. Transport Information

Land transport

USDOT

Hazard class: 9 Packing group: III

ID number: UN 3077 Hazard label: 9, EHSM

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(contains ALPHA-CYPERMETHRIN, DINOTEFURAN)

Sea transport

IMDG

Hazard class: 9 Packing group: III

ID number: UN 3077 Hazard label: 9, EHSM Marine pollutant: YES



Revision date : 2020/09/02 Page: 16/18 Version: 1.0 (30774103/SDS_CPA_US/EN)

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(contains ALPHA-CYPERMETHRIN, DINOTEFURAN)

Air transport

IATA/ICAO

Hazard class: 9 Packing group: III

ID number: UN 3077 Hazard label: 9, EHSM

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(contains ALPHA-CYPERMETHRIN, DINOTEFURAN)

Further information

The following provisions may apply for product in packages containing a net quantity of 5 kg or less ADR, RID, ADN: Special Provision 375;

IMDG: 2.10.2.7; IATA: A197;

TDG: Special Provision 99(2);

49CFR: §171.4 (c) (2).

15. Regulatory Information

Federal Regulations

Registration status:

Crop Protection TSCA, US released / exempt

Chemical TSCA, US blocked / not listed

EPCRA 311/312 (Hazard categories): Refer to SDS section 2 for GHS hazard classes applicable for this product.

State regulations



Revision date : 2020/09/02 Page: 17/18 Version: 1.0 (30774103/SDS_CPA_US/EN)

State RTK CAS Number Chemical name

NJ 108-95-2 phenol

PA 7757-82-6 Sodium sulfate 50-00-0 Formaldehyde

Safe Drinking Water & Toxic Enforcement Act, CA Prop. 65:

WARNING: This product can expose you to chemicals including FORMALDEHYDE (GAS), which is known to the State of California to cause cancer, and METHANOL, which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

Labeling requirements under FIFRA

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label. CAUTION:

HARMFUL IF SWALLOWED. Wash thoroughly after handling.

16. Other Information

SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2020/09/02

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.



Revision date: 2020/09/02 Page: 18/18 Version: 1.0 (30774103/SDS_CPA_US/EN)

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND. EITHER EXPRESSED OR IMPLIED. INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE, FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION. DESIGNS. DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

END OF DATA SHEET