

# **AQUEOUS**

# CONTAINS NON-PLANT FOOD INGREDIENT(S)

## **ACTIVE INGREDIENTS**

### **CONTENTS**

2.5 gallons (9.46 liters)



# **AQUEOUS**

# **DIRECTIONS FOR USE**

Aqueous reduces the surface tension of water and improves the penetration of rainfall and irrigation into the root zone. Aqueous also addresses water quality issues. Always mix and

apply Aqueous in accordance with label instructions.	
Injection	Inject 32 fl oz (946 mL) of Aqueous per one acre (.40 ha) of turfgrass or ornamentals. Monitor results to determine water infiltration and adjust rate, up or down, in 2 fl oz (59 mL) per acre (.40 ha) increments, until desired level of performance is achieved.
Spray Application	Spray 32 fl oz (946 mL) of Aqueous in a minimum of 60 gallons (227 L) of water to treat one acre (.40 ha) of turfgrass or ornamentals.
Spray Conditioner	Mix at a rate of .1 to 2 quarts per 100 gallons of spray solution. Conduct a compatibility test with all tank mix partners prior to the application. Prior to using Aqueous as a water conditioner, read and follow the label directions of all tank mix partners.
Application Interval	Use Aqueous monthly throughout the growing season. The application interval may be adjusted as needed.

#### KEEP OUT OF REACH OF CHILDREN AND STORE MATERIALS IN CLEARLY MARKED CONTAINERS

#### WARNING

#### PRECAUTIONARY STATEMENTS



Harmful if swallowed. Causes skin irritation and serious eye irritation. May be harmful if inhaled. If medical advice is needed, have product container or label at hand. Read label before use. Avoid breathing mist, vapors and spray. Wash protective equipment and work clothes thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear personal protective equipment. Specific treatment is given in the First Aid section on this label or on the SDS.

#### FIRST AID

If Swallowed: Call a POISON CENTER/doctor or Chemtrec if person feels unwell. Rinse mouth. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless directed to do so by medical personnel. Do

not give anything to an unconscious person.

If In Eves:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation

persists: Get medical advice or attention.

If On Skin:

Wash affected area with plenty of soap and water. Use tepid water if available. If skin irritation occurs: Get medical advice or attention. Treat symptomatically. Take off contaminated clothing and wash

it before reuse.

If Inhaled:

Remove person to fresh air and keep comfortable for breathing. If person is having difficulty breathing, give oxygen. If not breathing, give artificial respiration. Call a POISON CENTER/doctor or

Chemtrec if person feels unwell.

Do not store in temperatures below 40°F.

Note: Before buying or using this product, read the directions for use and the following conditions for sale and limitations of warranty and liability. By buying or using this product, the buyer or user, accepts the following conditions of sale. The seller of this product warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the directions for use, when the product is used in accordance with such directions for use under normal conditions.

Seller makes no warranty, express or implied, including, but not limited to, merchantability or fitness for a particular purpose. The buyers or users exclusive remedy for any injury, loss, or damage resulting from the handling or use of this product shall be limited to one of the following: direct damages not exceeding the purchase price of the product or replacement of the product. Seller shall not be liable to the buyer or user of this product for any consequential, special, or indirect damages, or damages in the nature of a penalty.

HydroPak' is a registered trademark of ENP Investments LLC.

Consult the SDS for more information.

TECHNOLOGY POWERED BY LABORATOR Results Expect it:

MANUFACTURED FOR ENP INVESTMENTS, LLC BY

Precision Laboratories, LLC 1429 S. Shields Dr. Waukegan, IL 60085 800.323.6280 • precisionlab.com