


SAFETY DATA SHEET		
<b>Aqueduct</b>		
Revision: 1.0 US	Issuing date: 05.26.15	

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1 Product identifier**

Trade name : Aqueduct

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Uses of the Substance / Mixture : Specific use(s): Wetting agent, Industrial use

**1.3 Details of the supplier of the safety data sheet**

Company : Aquatrols Corporation of America  
1273 Imperial Way  
Paulsboro, NJ 08066  
Telephone number: 800-257-7797

**1.4 Emergency telephone**

FOR EMERGENCIES INVOLVING A SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT CONTACT: CHEMTREC 800-424-9300 within the United States and Canada, or 703-527-3887 for international collect calls.

**SECTION 2: Hazards identification**

Although OSHA has not adopted the environmental portion of the GHS regulations, this document may include information on environmental effects.

**2.1 Classification of the substance or mixture**

**HCS 2012 (29 CFR 1910.1200)**

Not a hazardous product according to Globally Harmonized System (GHS)

**2.2 Label elements**

**HCS 2012 (29 CFR 1910.1200)**

Not a hazardous product according to Globally Harmonized System (GHS)


**2.3 Other hazards which do not result in classification**

Slightly irritating to eyes and skin.

No specific risk when handled in accordance with good occupational hygiene and safety practice.

NO particular fire or explosion hazard.

Hazardous reactions may occur on contact with certain chemicals. (Refer to the list of incompatible materials section 10: "Stability-Reactivity").

SAFETY DATA SHEET		
<b>Aqueduct</b>		
Revision: 1.0 US	Issuing date: 05.26.15	

### SECTION 3: Composition/information on ingredients

#### 3.1 Substance

Chemical nature : Ethylene oxide / propylene oxide block co-polymer blend

#### Hazardous Ingredients and Impurities

No ingredients are hazardous.

#### Non Hazardous Ingredients and Impurities

Chemical Name	Identification number CAS-No.	Concentration [%]
Blend of nonionic polyols	Proprietary	50
1,2-propanediol	57-55-6	5
Water	7732-18-5	45


#### 3.2 Mixture

Not applicable, this product is a substance.

### SECTION 4: First aid measures

#### 4.1 Description of first-aid measures

- If inhaled : Negligible or unlikely exposure pathways  
If breathed in, move person into fresh air.  
Consult a physician if necessary.
- Skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Call a physician if irritation develops or persists.  
Wash contaminated clothing before re-use.
- Eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
Consult a physician if necessary.
- Ingestion : Do not induce vomiting without medical advice.  
If victim is conscious:  
Rinse mouth with water.  
Keep at rest.  
Do not leave the victim unattended.  
Vomiting may occur spontaneously  
Risk of product entering the lungs on vomiting after ingestion.  
Lay victim on side.  
Seek medical advice.

SAFETY DATA SHEET		
<b>Aqueduct</b>		
Revision: 1.0 US	Issuing date: 05.26.15	

**4.2 Most important symptoms and effects, both acute and delayed**

Risks : Skin contact may aggravate existing skin disease

**4.3 Indication of any immediate medical attention and special treatment needed**

Notes to physician : All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

Treat symptomatically.  
There is no specific antidote available.

---

**SECTION 5: Firefighting measures**

Flash point : >399 °F (204 °C)  
Pensky-Martens closed cup

Flammability class: Will burn

Autoignition temperature : no data available

Flammability / Explosive limit : no data available

**5.1 Extinguishing media**

Suitable extinguishing media : Extinguishing media - small fires  
Dry chemical  
Carbon dioxide (CO<sub>2</sub>)  
Extinguishing media - large fires  
Foam  
Water spray

Unsuitable extinguishing media : High volume water jet  
(frothing possible)


**5.2 Special hazards arising from the substance or mixture**

Specific hazards during fire fighting : Under fire conditions:  
Will burn  
On combustion or on thermal decomposition (pyrolysis), releases:  
Carbon oxides

**5.3 Advice for firefighters**

Special protective equipment for fire-fighters : Firefighters should wear NIOSH/MSHA approved self-contained breathing apparatus and full protective clothing.

Specific fire fighting methods : Do not use a solid water stream as it may scatter and spread fire.

SAFETY DATA SHEET		
<b>Aqueduct</b>		
Revision: 1.0 US	Issuing date: 05.26.15	

Further information : Cool containers/tanks with water spray.  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions, protective equipment and emergency procedures : Wear suitable protective equipment.  
For further information refer to section 8 "Exposure controls / personal protection."

### 6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.  
Take all necessary measures to avoid accidental discharge of products into drains and waterways due to the rupture of containers or transfer systems.  
Spills may be reportable to the National Response Center (800-424-8802) and to state and/or local agencies

### 6.3 Methods and materials for containment and cleaning up

Methods for containment : Dam up with sand or inert earth (do not use combustible materials).

Recovery : Soak up with inert absorbent material.  
Sweep up and shovel into suitable containers for disposal.  
Never return spills in original containers for re-use.


Decontamination / cleaning : Wash nonrecoverable remainder with large amounts of water.  
Clean contaminated surface thoroughly.  
Recover the cleaning water for subsequent disposal.  
Decontaminate tools, equipment and personal protective equipment in a segregated area.

Disposal : Dispose of in accordance with local regulations.

Additional advice : Material can create slippery conditions.

### 6.4 Reference to other sections

Reference to other sections : 7. HANDLING AND STORAGE  
8. EXPOSURE CONTROLS/PERSONAL PROTECTION  
13. DISPOSAL CONSIDERATIONS

SAFETY DATA SHEET		
<b>Aqueduct</b>		
Revision: 1.0 US	Issuing date: 05.26.15	

**SECTION 7: Handling and storage**

**7.1 Precautions for safe handling**

- Technical measures : Ethylene oxide may collect in container head space.  
Provide adequate ventilation.
- Advice on safe handling and usage : Avoid inhalation of vapor or mist.  
Avoid contact with skin and eyes.
- Hygiene measures : Personal hygiene is an important work practice exposure control measure and the following general measures should be taken when working with or handling this materials:
  - 1) Do not store, use, and/or consume foods, beverages, tobacco products, or cosmetics in areas where this material is stored.
  - 2) Wash hands and face carefully before eating, drinking, using tobacco, applying cosmetics, or using the toilet.
  - 3) Wash exposed skin promptly to remove accidental splashes or contact with material.

**7.2 Conditions for safe storage, including any incompatibilities**

- Technical Measures for storage : Take all necessary measures to avoid accidental discharge of products into drains and waterways due to the rupture of containers or transfer systems.

**Storage conditions**


- Recommended : Keep container tightly closed in a dry and well-ventilated place.
- To be avoided : Keep away from open flames, hot surfaces and sources of ignition.  
Keep away from incompatible materials to be indicated by the manufacturer
- Incompatible products : Strong bases  
Strong oxidizing agents  
Strong reducing agents.

**Storage stability**

- Storage temperature : no data available

**7.3 Specific end use(s)**

no data available

SAFETY DATA SHEET		
<b>Aqueduct</b>		
Revision: 1.0 US	Issuing date: 05.26.15	

**SECTION 8: Exposure controls/personal protection**

**Introductory Remarks:**

These recommendations provide general guidance for handling this product. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. While developing safe handling procedures, do not overlook the need to clean equipment and piping systems for maintenance and repairs. Waste resulting from these procedures should be handled in accordance with Section 13: Disposal Considerations.

Assistance with selection, use and maintenance of worker protection equipment is generally available from equipment manufacturers.

**8.1 Control parameters**

Contains no substances with occupational exposure limit values.

**8.2 Exposure controls**

**Control measures**

Engineering measures : Where engineering controls are indicated by use conditions or a potential for excessive exposure exists, the following traditional exposure control techniques may be used to effectively minimize employee exposures :

Effective exhaust ventilation system

**Personal protective equipment**

Respiratory protection : When respirators are required, select NIOSH/MSHA approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industrial recommendations.

No personal respiratory protective equipment normally required.


Hand protection : Where there is a risk of contact with hands, use appropriate gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves must be inspected prior to use. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : Eye and face protection requirements will vary dependent upon work environment conditions and material handling practices. Appropriate ANSI Z87 approved equipment should be selected for the particular use intended for this material.

Eye contact should be prevented through the use of:

Safety glasses with side-shields

Skin and body protection : Recommended preventive skin protection  
 impervious clothing  
 Footwear protecting against chemicals  
 Choose body protection according to the amount and concentration of the

SAFETY DATA SHEET		
<b>Aqueduct</b>		
Revision: 1.0 US	Issuing date: 05.26.15	

dangerous substance at the work place.

Hygiene measures : Personal hygiene is an important work practice exposure control measure and the following general measures should be taken when working with or handling this materials:  
 1) Do not store, use, and/or consume foods, beverages, tobacco products, or cosmetics in areas where this material is stored.  
 2) Wash hands and face carefully before eating, drinking, using tobacco, applying cosmetics, or using the toilet.  
 3) Wash exposed skin promptly to remove accidental splashes or contact with material.

Protective measures : Ensure that eyewash stations and safety showers are close to the workstation location.  
 Emergency equipment immediately accessible, with instructions for use.  
 The protective equipment must be selected in accordance with current local standards and in cooperation with the supplier of the protective equipment.  
 Selection of appropriate personal protective equipment should be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and the potential hazards, and/or risks that may occur during use.

---

## SECTION 9: Physical and chemical properties

Physical and Chemical properties here represent typical properties of this product. Contact the business area using the Product information phone number in Section 1 for its exact specifications.

### 9.1 Information on basic physical and chemical properties

Appearance : Form : viscous  
 Physical state: liquid  
 Color: clear to cloudy

Odor : slight

Odor Threshold : no data available

pH : 5.0 - 7.5 ( 5 % (m/v))

Freezing point : 23 °F (-5 °C)

Boiling point/boiling range : > 500 °F (260 °C) ( 760 mmHg (1,013.25 hPa))

Flash point : > 399 °F (204 °C) Pensky-Martens closed cup  
 Flammability class: Will burn

Evaporation rate (Butylacetate = 1) : no data available

Flammability (solid, gas) : no data available

**Aqueduct**

Revision: 1.0 US

Issuing date: 05.26.15

Flammability (liquids)	:	no data available
Flammability / Explosive limit	:	no data available
Autoignition temperature	:	no data available
Vapor pressure	:	< 0.01 mmHg (0.01 hPa) ( 77 °F (25 °C))
Vapor density	:	no data available
Density	:	Relative density : 1.04 ( 77 °F (25 °C))
Solubility	:	<u>Water solubility</u> : soluble
Partition coefficient: n-octanol/water	:	no data available
Thermal decomposition	:	no data available
Viscosity	:	no data available
Explosive properties	:	no data available
Oxidizing properties	:	no data available

**9.2 Other information**

Volatiles by Volume : > 40 %

---

**SECTION 10: Stability and reactivity****10.1 Reactivity**

no data available

**10.2 Chemical stability**

Chemical stability : Stable under recommended storage conditions.

**10.3 Possibility of hazardous reactions**

Polymerization : Hazardous polymerization does not occur.

**10.4 Conditions to avoid**

Conditions to avoid : Keep away from heat and sources of ignition.  
Keep away from flames and sparks.



**Aqueduct**

Revision: 1.0 US

Issuing date: 05.26.15

**10.5 Incompatible materials**

Materials to avoid : Strong bases  
 Strong oxidizing agents  
 Strong reducing agents

**10.6 Hazardous decomposition products**

Decomposition products : On combustion or on thermal decomposition (pyrolysis), releases:  
 Carbon oxides

**SECTION 11: Toxicological information****11.1 Information on toxicological effects****Acute toxicity**

Acute oral toxicity : LD50 : 10,200 mg/kg - Rat  
 By analogy

Acute inhalation toxicity : no data available

Acute dermal toxicity : no data available

Acute toxicity (other routes of administration) : no data available

**Skin corrosion/irritation**

Skin irritation : Rabbit  
 Slightly irritating to rabbits on cutaneous application.  
 By analogy

**Serious eye damage/eye irritation**

Eye irritation : Rabbit  
 slight irritation  
 By analogy

**Respiratory or skin sensitization**

Sensitization : no data available


**Mutagenicity**

Genotoxicity in vitro : no data available

Genotoxicity in vivo : no data available

**Carcinogenicity**

Carcinogenicity : no data available

SAFETY DATA SHEET		
<b>Aqueduct</b>		
Revision: 1.0 US	Issuing date: 05.26.15	

This product does not contain any ingredient designated as probable or suspected human carcinogens by:

NTP  
IARC  
OSHA  
ACGIH

**Toxicity for reproduction and development**

Toxicity to reproduction / fertility : no data available

Developmental Toxicity/Teratogenicity : no data available

**STOT**

STOT-single exposure : no data available

STOT-repeated exposure : no data available

**Aspiration toxicity**

Aspiration toxicity : no data available

**SECTION 12: Ecological information**

**12.1 Toxicity**

no data available

**12.2 Persistence and degradability**

no data available

**12.3 Bioaccumulative potential**

no data available

**12.4 Mobility in soil**


no data available

**12.5 Results of PBT and vPvB assessment**

no data available

**12.6 Other adverse effects**

no data available

SAFETY DATA SHEET		
<b>Aqueduct</b>		
Revision: 1.0 US	Issuing date: 05.26.15	

**SECTION 13: Disposal considerations**

**13.1 Waste treatment methods**

**Product Disposal**

Advice on Disposal : Chemical additions, processing or otherwise altering this material may make the waste management information presented in this MSDS incomplete, inaccurate or otherwise inappropriate. Please be advised that state and local requirements for waste disposal may be more restrictive or otherwise different from federal laws and regulations. Consult state and local regulations regarding the proper disposal of this material.

Waste Code : EPA:  
Hazardous Waste – NO

**Advice on cleaning and disposal of packaging**

Advice on Disposal : Rinse with an appropriate solvent.  
Dispose of contents/container in accordance with local regulation.

**SECTION 14: Transport information**


**DOT**  
not regulated

**TDG**  
not regulated

**IMDG**  
not regulated

**IATA**  
not regulated

Note: The above regulatory prescriptions are those valid on the date of publication of this sheet. Given the possible evolution of transportation regulations for hazardous materials, it would be advisable to check their validity with your sales office.

SAFETY DATA SHEET		
<b>Aqueduct</b>		
Revision: 1.0 US	Issuing date: 05.26.15	

## SECTION 15: Regulatory information

### 15.1 Notification status

United States TSCA Inventory	: YES (positive listing) On TSCA Inventory
Canadian Domestic Substances List (DSL)	: YES (positive listing) All components of this product are on the Canadian DSL.
Australia Inventory of Chemical Substances (AICS)	: YES (positive listing) On the inventory, or in compliance with the inventory
Japan. CSCL - Inventory of Existing and New Chemical Substances	: YES (positive listing) On the inventory, or in compliance with the inventory
Korea. Korean Existing Chemicals Inventory (KECI)	: YES (positive listing) On the inventory, or in compliance with the inventory
China. Inventory of Existing Chemical Substances in China (IECSC)	: YES (positive listing) On the inventory, or in compliance with the inventory


### 15.2 Federal Regulations

#### SARA 311/312 Hazards

Fire Hazard	no
Reactivity Hazard	no
Sudden Release of Pressure Hazard	no
Acute Health Hazard	no
Chronic Health Hazard	no

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SAFETY DATA SHEET		
<b>Aqueduct</b>		
Revision: 1.0 US	Issuing date: 05.26.15	

**EPCRA - Emergency Planning and Community Right-to-Know**

**CERCLA Reportable Quantity**

Ingredients	CAS-No.	Reportable quantity
Ethylene Oxide	75-21-8	10 lb
1,4-Dioxane	123-91-1	100 lb
Propylene Oxide	75-56-9	100 lb

**SARA 304 Reportable Quantity**

Ingredients	CAS-No.	Reportable quantity
Ethylene Oxide	75-21-8	10 lb
Propylene Oxide	75-56-9	100 lb

**SARA 302 Reportable Quantity**

Ingredients	CAS-No.	Reportable quantity
Ethylene Oxide	75-21-8	10 lb
Propylene Oxide	75-56-9	100 lb

**15.3 State Regulations**

**California Prop 65**

: WARNING! This product contains a chemical known in the State of California to cause cancer.  
 1,4-Dioxane  
 Ethylene Oxide  
 Propylene Oxide

WARNING: This product contains a chemical known in the State of California to cause birth defects or other reproductive harm.  
 Ethylene Oxide

No Significant Risk Levels (NSRLs) have been established for the following:  
 1,4-Dioxane  
 Value : 30 micrograms per day

Ethylene Oxide  
 Value : 2 micrograms per day


**SECTION 16: Other information**

**NFPA-Classification**

Health : 1 slight  
 Flammability : 1 slight  
 Instability or Reactivity : 0 minimal

**HMIS-Classification**

Health : 1 slight  
 Flammability : 1 slight  
 Reactivity : 0 minimal

SAFETY DATA SHEET		
<b>Aqueduct</b>		
Revision: 1.0 US	Issuing date: 05.26.15	

**Further information**

Date Prepared : 05.26.15  
 Further information : Product classified under the US GHS format.

**Key or legend to abbreviations and acronyms used in the safety data sheet**

ACGIH : American Conference of Governmental Industrial Hygienists  
 OSHA : Occupational Safety and Health Administration  
 WHMIS : Workplace Hazardous Materials Information System  
 NTP : National Toxicology Program  
 IARC : International Agency for Research on Cancer  
 AEL : Acceptable Exposure Limit  
 NIOSH : National Institute for Occupational Safety and Health  
 NFPA : National Fire Protection Association  
 HMIS : Hazardous Materials Identification System (Paint & Coating)

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. Such information is only given as a guidance to help the user handle, use, process, store, transport, dispose, and release the product in satisfactory safety conditions and is not to be considered as a warranty or quality specification. It should be used in conjunction with technical sheets but do not replace them. Thus, the information only relates to the designated specific product and may not be applicable if such product is used in combination with other materials or in another manufacturing process, unless otherwise specifically indicated. It does not release the user from ensuring he is in conformity with all regulations linked to its activity.