

Contec C Dispersing Granule Technology 19-0-15

- Patented dispersing granule formula
- Contains slow release nitrogen from MUtech
- Contains micronutrients to maintain turf and correct deficiencies

PRODUCT CODE	CDG1919WM4.2			
DESCRIPTION	Dispersing Granule Nutrient			
PARTICLE SIZE	SGN 75			
COVERAGE	7,500 - 15,300 sq. ft. (0.17 - 0.35 acres)			
TYPICAL RATE	3.9 lbs / 1,000 sq. ft.			
PRODUCT USES	For use where a nitrogen and potassium application is desired.			

40 lbs.

50.50

50 bags/pallet

GUARANTEED ANALYSIS

Total Nitrogen (N)19.00%
2.26% Urea Nitrogen
6.89% Water Insoluble Nitrogen
9.85% Other Water Soluble Nitrogen*
Soluble Potash (K ₂ O) 15.00%
Magnesium (Mg) 1.00%
1.00% Water Soluble Magnesium (Mg)
Sulfur (S) 6.60%
6.60% Combined Sulfur
Copper (Cu)
0.02% Water Soluble Copper (Cu)
Iron (Fe) 0.50%
0.02% Water Soluble Iron (Fe)
Manganese (Mn)0.05%
0.02% Water Soluble Manganese (Mn)
Zinc (Zn)
0.02% Water Soluble Zinc (Zn)
*9.85% slowly available nitrogen from
methylene ureas

To order, contact your local Andersons Distributor,

visit our website: www.andersonspro.com

The Andersons Logo is a registered trademark of The Andersons, Inc.; MUTech and Contec DG are registered trademarks of The Andersons, Inc.; PP15

or contact us at 800-225-2639.



out of date. It is intended as a guide in providing general information regarding the use of this product. Always read and follow the label on the product container.

Following is a specimen label that may at

some point be revised or otherwise become

BAG WEIGHT

DENSITY NC

PALLET COUNT



Contec DG®



Dispersing Granule Technology

19-0-15

- Patented dispersing granule formula
- Greatly reduces mower pickup of fertilizer particles
- SGN 75 ideal for greens use
- Contains slow release nitrogen from MUtech™
- Contains micronutrients to maintain turf and correct deficiencies

Visit our website: AndersonsPro.com

SGN 75

Net Wt 40 Lbs (18.14 kg)



GUARANTEED ANALYSIS

Total Nitrogen (N) 2.26% Urea Nitrogen 6.89% Water Insoluble Nitrogen 9.85% Other Water Soluble Nitrogen*	19.00%
Soluble Potash (K ₂ O)	15.00%
Magnesium (Mg)	1.00%
1.00% Water Soluble Magnesium (Mg)	
Sulfur (S)	6.60%
6.60% Combined Sulfur (S)	
Copper (Cu)	0.05%
0.02% Water Soluble Copper (Cu)	
Iron (Fe)	0.50%
0.02% Water Soluble Iron (Fe)	0.050/
Manganese (Mn)	0.05%
0.02% Water Soluble Manganese (Mn)	0.050/
Zinc (Zn)	0.05%
0.02% Water Soluble Zinc (Zn)	

Plant nutrients derived from potassium sulfate, methylene ureas, sulfate of potash magnesia, ferrici oxide, ferrous sulfate, cupric oxide, copper sulfate, manganous oxide, manganese sulfate, zinc oxide, and zinc sulfate

*9.85% slowly available nitrogen from methylene ureas

U.S. Patents #6,884,756 and #7,789,932.

Information regarding the contents and levels of metals in this product is available on the internet at http://www.regulatory-info-ap.com



Warning

MAY BE HARMFUL IF SWALLOWED
MAY CAUSE MILD SKIN IRRITATION
MAY CAUSE EYE IRRITATION
MAY CAUSE RESPIRATORY IRRITATION

Precautionary Statements
Call a poison center/physician if unwell. If skin irritation occurs, get medical advice. If in eyes, rinse cautiously with water for several minutes, remove contact lenses. If eye irritation persists, get medical advice. Wash hands after handling. Use only outdoors or in well ventilated areas. Avoid breathing dust. It inhaled, remove to fresh air and keep at rest in a position comfortable for breathing. Store container tightly closed, Dispose of contents/container in accordance with national/regional/local regulations.

First Aid

If swallowed: If victim is alert and not convulsing, give one glass of water to dilute material, but DO NOT induce vomiting. Seek immediate medical

If on skin:

Wash affected areas with soap and water. Seek medical attention if irritation persists. Wash contaminated clothing before reuse.

If in eyes: Immediately flush with water for at least 20 minutes. Seek medical

If inhaled:

attention if irritation persists

Move victim to fresh air. Seek medical attention if irritation persists.

DIRECTIONS FOR USE

Apply only as directed during the growing season

For use on greens and tees where a nitrogen and potassium application is desired. Potassium application will help to improve turfgrass resistance to stress.

Watering in this product will disperse each granule into thousands of particles. This will facilitate the movement of the nutrients into the soil. This particle dispersion will also greatly reduce ball, shoe and mower pickup. Cold weather and/or cold water (bower than 45°F / 7°C) can result in slower particle dispersion.

Application to wet, close-cut golf turf may result in foliar staining, which will discolor the turf to a brownfolack appearance. This can occur even if immediate irrigation or rainfall occurs. It is recommended that this product be applied to dry turf only.

Application Rates:

LOW: 2.6 lbs/1,000 sq. ft.

MEDIUM: 3.9 lbs/1,000 sq. ft.

HIGH: 5.3 lbs/1,000 sq. ft.

FLORIDA APPLICATIONS:

We recommend that you follow the Florida Green Industries BMP's at http://www.flaes.org/pdf/BMP_Book_final.pdf

We recommend that you follow the Florida Golf Course BMP's at http://www.flaes.org/pdf/glfbmp07.pdf

For all applications:

- Apply to dry turf and water in immediately with 0.2 inches of water. Apply at the MEDIUM RATE or HIGH RATE Exception: Apply at the LOW RATE if temperatures are 85°F (30°C) or above. Make repeat applications as necessary

Note: This product contains the micronutrient iron for extra greening and to help prevent iron deficiency. Iron may stain concrete and other surfaces. Misapplied product to these surfaces should be removed promptly by sweeping or blowing. DO NOT WASH OFF WITH WATER.

Recent research has shown that environmental buffers prevent pollutants from entering our natural water bodies. To help protect these natural resources, avoid applying product to sidewalks, driveways, roadways, and other impervious surfaces. Sweep any misplaced granules back onto the area you are treating immediately after application, since storm drains often empty directly to nearby waterways.

Storage and Use: Store in a clean, dry place. Reseal opened bag by folding top down and securing. Use only clean, dry spreaders. Do not leave unused product in spreaders.

IMPORTANT: READ BEFORE USE:
Read the entire Directions for Use and the Warranty Disclaimer and Limitation
of Liability before using this product. If terms are not acceptable, return the
unopened product container at once, By using this product, user or Buyer accepts the
following Warranty Disclaimer and Limitation of Liability:

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:
Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY FOR FITNESS FOR A PARTICULAR PURPOSE. To the extent consistent with applicable law, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSCOLENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. To the extent consistent with applicable law, Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

LEGAL RIGHTS:

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION.

Product of USA

Manufactured by:

The Andersons Lawn Fertilizer Division, Inc.

Maumee, Ohio 43537

CDG1919WM4.2

CDG1919WM4.2B

Visit our website: AndersonsPro.com

©2013 Contec DG is a registered trademark of The Andersons, Inc.; MUtech is a trademark of The Andersons, Inc.



Suggested Spreader Settings

These suggested spreader settings are not intended to replace calibration.

Please calibrate your spreader before applying product.

40 lbs. feeds 15,300 sq. ft. (0.35 acre) with 0.49 lb. N/1,000 sq. ft. at the LOW RATE (2.6 lbs/1,000 sq. ft.) 40 lbs. feeds 10,200 sq. ft. (0.23 acre) with 0.74 lb. N/1,000 sq. ft. at the MEDIUM RATE (3.9 lbs/1,000 sq. ft.) 40 lbs. feeds 7,500 sq. ft. (0.17 acre) with 1.00 lb. N/1,000 sq. ft. at the HIGH RATE (5.3 lbs/1,000 sq. ft.)

			SPREADER SETTINGS		
SPREADER	GROUND SPEED	WIDTH OF COVERAGE	LOW RATE 2.6 lbs/1,000 sq. ft.	MEDIUM RATE 3.9 lbs/1,000 sq. ft.	HIGH RATE 5.3 lbs/1,000 sq. ft.
Andersons Model 2000 / AccuPro 2000 (cone 9); Andersons 2000 SR / SR-2000 (cone 9)	3 mph	10 feet	l 1/2	K 1/4	L 1/4
Andersons SSD / SS-2 Drop	3 mph	overlap wheels	3 1/2	4	4 3/4
Scotts R-8, R-8A (cone 9)	3 mph	10 feet	H 1/4	Ţ	J 1/4
Lesco 020093 (pattern 0.0)	3 mph	8 feet	C 1/2	D 1/2	E
Lesco 705698 (pattern 0.0)	3 mph	8 feet	9	11	12