

Safety Data Sheet

LEXICON®™ INTRINSIC® BRAND FUNGICIDE

Revision date : 2017/03/31

Version: 5.0

Page: 1/12

(30604404/SDS_CPA_US/EN)

1. Identification

Product identifier used on the label

LEXICON (TM) INTRINSIC® BRAND FUNGICIDE

Recommended use of the chemical and restriction on use

Recommended use*: fungicide

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company:

BASF CORPORATION
100 Park Avenue
Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

Emergency telephone number

CHEMTREC: 1-800-424-9300
BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

Substance number: 619007
EPA Registration number: 7969-350
Synonyms: Pyraclostrobin + Fluxapyroxad

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

Acute Tox.	4 (oral)	Acute toxicity
Carc.	2	Carcinogenicity
STOT SE	3 (irritating to respiratory system)	Specific target organ toxicity — single exposure

Label elements

Safety Data Sheet

LEXICON®™ INTRINSIC® BRAND FUNGICIDE

Revision date : 2017/03/31

Version: 5.0

Page: 2/12

(30604404/SDS_CPA_US/EN)

Pictogram:



Signal Word:

Warning

Hazard Statement:

H302	Harmful if swallowed.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.

Precautionary Statements (Prevention):

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P201	Obtain special instructions before use.
P271	Use only outdoors or in a well-ventilated area.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P202	Do not handle until all safety precautions have been read and understood.
P270	Do not eat, drink or smoke when using this product.
P264	Wash with plenty of water and soap thoroughly after handling.

Precautionary Statements (Response):

P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P308 + P311	IF exposed or concerned: Call a POISON CENTER or doctor/physician.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P330	Rinse mouth.

Precautionary Statements (Storage):

P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.

Precautionary Statements (Disposal):

P501	Dispose of contents/container to hazardous or special waste collection point.
------	---

Hazards not otherwise classified

Labeling of special preparations (GHS):

May produce an allergic reaction. Contains: 1,2-benzisothiazol-3(2H)-one

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 5 % dermal

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 10 % Inhalation - vapour

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 10 % Inhalation - mist

Product contains the following components and may cause an allergic skin reaction: Preservative based on isothiazolones

Safety Data Sheet

LEXICON[®]™ INTRINSIC[®] BRAND FUNGICIDE

Revision date : 2017/03/31
Version: 5.0

Page: 3/12
(30604404/SDS_CPA_US/EN)

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

<u>CAS Number</u>	<u>Weight %</u>	<u>Chemical name</u>
175013-18-0	28.58 %	Pyraclostrobin
907204-31-3	14.33 %	Fluxapyroxad

4. First-Aid Measures

Description of first aid measures

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Remove the affected individual into fresh air and keep the person calm.

If on skin:

Rinse skin immediately with plenty of water for 15 - 20 minutes.

If in eyes:

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing.

If swallowed:

Rinse mouth and then drink plenty of water. Do not induce vomiting. Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions. Immediate medical attention required.

Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:
water spray, carbon dioxide, foam, dry powder

Special hazards arising from the substance or mixture

Safety Data Sheet

LEXICON®™ INTRINSIC® BRAND FUNGICIDE

Revision date : 2017/03/31

Version: 5.0

Page: 4/12

(30604404/SDS_CPA_US/EN)

Hazards during fire-fighting:

carbon monoxide, carbon dioxide, nitrogen oxides, chlorides, organochloric compounds, halogenated hydrocarbons

The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Avoid contact with the skin, eyes and clothing. Do not breathe vapour/spray.

Environmental precautions

Contain contaminated water/firefighting water.

Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

7. Handling and Storage

Precautions for safe handling

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product for Agricultural Use Requirements in accordance with the EPA Worker Protection Standard 40 CFR part 170. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect against heat. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Avoid aerosol formation. Avoid dust formation. Provide means for controlling leaks and spills. Do not return residues to the storage containers. Follow label warnings even after container is emptied. The substance/ product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Safety Data Sheet

LEXICON[®]™ INTRINSIC[®] BRAND FUNGICIDE

Revision date : 2017/03/31

Page: 5/12

Version: 5.0

(30604404/SDS_CPA_US/EN)

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.
Protect from temperatures below: 0 °C
The product can crystallize below the limit temperature.
Protect from temperatures above: 40 °C
Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

No occupational exposure limits known.

Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

Personal protective equipment

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

Safety Data Sheet

LEXICON[®]™ INTRINSIC[®] BRAND FUNGICIDE

Revision date : 2017/03/31

Version: 5.0

Page: 6/12

(30604404/SDS_CPA_US/EN)

9. Physical and Chemical Properties

Form:	suspension	
Odour:	faint odour, fruity	
Odour threshold:	Not determined due to potential health hazard by inhalation.	
Colour:	off-white	
pH value:	approx. 6 - 8 (20 °C) (measured with the undiluted substance)	(pH Meter)
Boiling point:	100 °C	(measured)
Flash point:	No flash point - Measurement made up to the boiling point.	
Flammability:	not applicable	
Autoignition:	535 °C	(Directive 92/69/EEC, A.15)
Density:	approx. 1.16 g/cm3 (20 °C) approx. 9.6807 Lb/USg (68 °F)	(OECD Guideline 109)
Vapour density:	not applicable	
Partitioning coefficient n-octanol/water (log Pow):	not applicable	
Thermal decomposition:	95 °C, 20 kJ/kg (DSC (OECD 113)) 165 °C, 140 kJ/kg (DSC (OECD 113)) 270 °C, 590 kJ/kg (DSC (OECD 113)) carbon monoxide, carbon dioxide, nitrogen oxide, nitrogen dioxide, Hydrocarbons Stable at ambient temperature. If product is heated above decomposition temperature, toxic vapours will be released.	
Viscosity, dynamic:	39 mPa.s (40 °C)	(OECD 114)
Solubility in water:	dispersible	
Evaporation rate:	not applicable	
Other Information:	If necessary, information on other physical and chemical parameters is indicated in this section.	

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:

not fire-propagating (Directive 2004/73/EC, A.21)

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame. Avoid extreme temperatures. Avoid contamination. Avoid electro-static discharge. Avoid prolonged storage.

Incompatible materials

strong acids, strong bases, strong oxidizing agents

Safety Data Sheet

LEXICON®™ INTRINSIC® BRAND FUNGICIDE

Revision date : 2017/03/31

Version: 5.0

Page: 7/12

(30604404/SDS_CPA_US/EN)

Hazardous decomposition products

Decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated., Prolonged thermal loading can result in products of degradation being given off.

Thermal decomposition:

95 °C, 2.5 K/min (DSC (OECD 113))

165 °C, 2.5 K/min (DSC (OECD 113))

270 °C, 2.5 K/min (DSC (OECD 113))

Possible thermal decomposition products:

carbon monoxide, carbon dioxide, nitrogen oxide, nitrogen dioxide, Hydrocarbons

Stable at ambient temperature. If product is heated above decomposition temperature, toxic vapours will be released.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Slightly toxic after single ingestion. Relatively nontoxic after short-term inhalation. Relatively nontoxic after short-term skin contact.

Oral

Type of value: LD50

Species: rat (female)

Value: > 500 - < 2,000 mg/kg (OECD Guideline 423)

Inhalation

Type of value: LC50

Species: rat (male)

Value: > 6.11 mg/l (OECD Guideline 403)

Exposure time: 4 h

An aerosol with respirable particles was tested.

Dermal

Type of value: LD50

Species: rat (male/female)

Value: > 5,000 mg/kg (OECD Guideline 402)

No mortality was observed.

Irritation / corrosion

Assessment of irritating effects: May cause slight but temporary irritation to the eyes. May cause moderate irritation to the skin.

Skin

Species: rabbit

Safety Data Sheet

LEXICON®™ INTRINSIC® BRAND FUNGICIDE

Revision date : 2017/03/31

Page: 8/12

Version: 5.0

(30604404/SDS_CPA_US/EN)

Result: non-irritant
Method: OECD Guideline 404

Eye

Species: rabbit
Result: non-irritant
Method: OECD Guideline 405

Sensitization

Assessment of sensitization: Skin sensitizing effects were not observed in animal studies.

Buehler test

Species: guinea pig
Result: Skin sensitizing effects were not observed in animal studies.
Method: OECD Guideline 406

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Pyraclostrobin

Assessment of repeated dose toxicity: After repeated exposure the prominent effect is local irritation. The substance may cause damage to the olfactory epithelium after repeated inhalation.

Information on: Fluxapyroxad

Assessment of repeated dose toxicity: Adaptive effects were observed after repeated exposure in animal studies.

Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential. Based on the structure, there is a suspicion of a mutagenic effect.

Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Fluxapyroxad

Assessment of carcinogenicity: Indication of possible carcinogenic effect in animal tests.

Information on: Pyraclostrobin

Assessment of carcinogenicity: In long-term studies in rats and mice in which the substance was given by feed, a carcinogenic effect was not observed.

Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Teratogenicity

Safety Data Sheet

LEXICON®™ INTRINSIC® BRAND FUNGICIDE

Revision date : 2017/03/31

Page: 9/12

Version: 5.0

(30604404/SDS_CPA_US/EN)

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Other Information

Misuse can be harmful to health.

Symptoms of Exposure

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

12. Ecological Information

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

Very toxic (acute effect) to aquatic invertebrates. Very toxic (acute effect) to fish. Acutely toxic for aquatic plants.

Aquatic plants

EC50 (72 h) 2.8 mg/l (growth rate), *Pseudokirchneriella subcapitata* (OECD Guideline 201, static)

Toxicity to fish

Information on: pyraclostrobin

LC50 (96 h) > 0.0121 - < 0.0258 mg/l, *Cyprinus carpio*

LC50 (96 h) > 0.0196 - < 0.0335 mg/l, *Lepomis macrochirus*

LC50 (96 h) 0.00616 mg/l, *Oncorhynchus mykiss*

Information on: fluxapyroxad (ISO); 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluorobiphenyl-2-yl)pyrazole-4-carboxamide

LC50 (96 h) 0.29 mg/l, *Cyprinus carpio* (Fish test acute, semistatic)

LC50 (96 h) 0.546 mg/l, *Oncorhynchus mykiss* (OECD Guideline 203, static)

LC50 (96 h) 1.15 mg/l, *Lepomis macrochirus* (OECD Guideline 203, static)

LC50 (96 h) 0.466 mg/l, *Pimephales promelas* (OECD Guideline 203, static)

Aquatic invertebrates

Information on: pyraclostrobin

EC50 (48 h) 0.0157 mg/l, *Daphnia magna*

Information on: fluxapyroxad (ISO); 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluorobiphenyl-2-yl)pyrazole-4-carboxamide

EC50 (48 h) 6.78 mg/l, *Daphnia magna* (OECD Guideline 202, part 1, static)

Mobility in soil

Assessment transport between environmental compartments

The product has not been tested. The statement has been derived from the properties of the individual components.

Additional information

Safety Data Sheet

LEXICON[®]™ INTRINSIC[®] BRAND FUNGICIDE

Revision date : 2017/03/31

Version: 5.0

Page: 10/12

(30604404/SDS_CPA_US/EN)

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal considerations

Waste disposal of substance:

Pesticide wastes are regulated. Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container disposal:

Rinse thoroughly at least three times (triple rinse) in accordance with EPA recommendations. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

14. Transport Information

Land transport

USDOT

Not classified as a dangerous good under transport regulations

Sea transport

IMDG

Hazard class:	9
Packing group:	III
ID number:	UN 3082
Hazard label:	9, EHSM
Marine pollutant:	YES
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains PYRACLOSTROBIN, FLUXAPYROXAD)

Air transport

IATA/ICAO

Hazard class:	9
Packing group:	III
ID number:	UN 3082
Hazard label:	9, EHSM
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains PYRACLOSTROBIN, FLUXAPYROXAD)

15. Regulatory Information

Federal Regulations

Registration status:

Chemical TSCA, US blocked / not listed

Crop Protection TSCA, US released / exempt

Safety Data Sheet

LEXICON[®]™ INTRINSIC[®] BRAND FUNGICIDE

Revision date : 2017/03/31

Version: 5.0

Page: 11/12

(30604404/SDS_CPA_US/EN)

EPCRA 311/312 (Hazard categories): Chronic;

State regulations

State RTK

<u>State RTK</u>	<u>CAS Number</u>	<u>Chemical name</u>
PA	57-55-6	Propylene glycol
	108-88-3	Toluene
MA	108-88-3	Toluene
NJ	57-55-6	Propylene glycol
	108-88-3	Toluene

CA Prop. 65:

WARNING: THIS PRODUCT CONTAINS A CHEMICAL(S) KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER AND BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM.

NFPA Hazard codes:

Health : 1 Fire: 1 Reactivity: 0 Special:

Labeling requirements under FIFRA

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

CAUTION:

KEEP OUT OF REACH OF CHILDREN.

HARMFUL IF SWALLOWED.

Avoid contact with the skin, eyes and clothing.

16. Other Information

SDS Prepared by:

BASF NA Product Regulations

SDS Prepared on: 2017/03/31

We support worldwide Responsible Care[®] initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

LEXICON (TM) INTRINSIC[®] BRAND FUNGICIDE is a registered trademark of BASF Corporation or BASF SE

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO

Safety Data Sheet

LEXICON®™ INTRINSIC® BRAND FUNGICIDE

Revision date : 2017/03/31

Page: 12/12

Version: 5.0

(30604404/SDS_CPA_US/EN)

DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.
END OF DATA SHEET